
• QUALITY FASTENING DRIVE TOOLS

FOR LIGHT INDUSTRIAL ASSEMBLY AND MRO







SCREWDRIVER BITS | BIT HOLDERS NUTSETTERS | SOCKETS | EXTENSIONS

Price. Quality. Value.

For increasingly fast-paced applications such as construction, light industrial assembly, and general maintenance & repair, fastening tools need to be reliable, durable, and affordable.

For more than 80 years, Apex has maintained a position of global leadership in industrial fastening drive tools. With our commitment to enhance the productivity of our customers' operations around the world, the Apex Geta line of screwdriver bits, bit holders, nutsetters, and sockets are built for performance.

Geta fastening drive tools are quality tools for a complete range of light industrial applications. We engineer our products to be superior to all other products in their class. Our tools are machined from high-grade alloy steel and then heat treated to provide a long-lasting, non-brittle toughness. This results in a durable tool that provides a good, consistent fit to the fastener and lasts longer.

Geta - durable, quality tools at affordable prices... a true value leader.

	Torx [®] 1/4" hex insert	
Part No.	Driver Size	Overall Length
A44T10	T-10	1 in 25 mm
A44T15	T-15	1 in 25 mm
A44T20	T-20	1 in 25 mm
A44T25	T-25	1 in 25 mm
A44T30	T-30	1 in 25 mm
A44T40	T-40	1 in 25 mm

*Torx is a registered trademark of the Camcar division of Acument

	5/16" hex insert	
Part No.	Driver Size	

i urt noi	DITION OILD	o torun Longui	
A48T40	T-40	1 1/4 in 32 mm	
A48T45	T-45	1 1/4 in 32 mm	G
		the second second second second second	_

		Torx 1/4" hex power drive		
Par t No.	Driver Size	Overall Length	Body Diameter	
A9T27	T-27	1 15/16 in 49 mm	0.21 in 5.33 mm	

	Square Recess 1/4" hex insert	
Part No.	Point Size	Overall Length
A44Q1	1	1 in 25 mm
A44Q2	2	1 in 25 mm
A44Q3	3	1 in 25 mm

		Recess power drive
Part No.	Point Size	Overall Length
A9Q1	1	2 in 51 mm
A9AQ1	1	2 3/4 in 70 mm
A9BQ1	1	3 1/2 in 89 mm
A9CQ1	1	6 in 152 mm
A9Q2	2	2 in 51 mm
A9AQ2	2	3 in 75 mm
A9BQ2	2	4 in 102 mm
A9CQ2	2	6 in 152 mm
A9Q3	3	1 15/16 in 49 mm
A9AQ3	3	2 3/4 in 70 mm
A9BQ3	3	3 1/2 in 89 mm
A9CQ3	3	6 in 152 mm

	1/4" hex power drive
Part No.	Overall Length
AM40S	2 in 51 mm
AM40	2 31/32 in 75 mm
AM40-4	4 in 102 mm
AM40-8	8 in 203 mm
AM40-10	10 in 254 mm
AM40-12	12 in 305 mm

Magnetic Nutsetter 1/4" hex power drive

Magnetic Rit Holder

Part No.	Hex Opening	Overall Length	Diameter Nose End
ANA08	1/4 in	1 3/4 in 44 mm	7/16 in 11 mm
ANA08T*	1/4 in	1 3/4 in 44 mm	3/8 in 9.5 mm
ANA08-4	1/4 in	4 in 102 mm	7/16 in 11 mm
ANA08-6	1/4 in	6 in 152 mm	7/16 in 11 mm
ANA10	5/16 in	1 3/4 in 44 mm	1/2 in 13 mm
ANA10-4	5/16 in	4 in 102 mm	1/2 in 13 mm
ANA10-6	5/16 in	6 in 152 mm	1/2 in 13 mm
ANA12	3/8 in	1 13/16 in 46 mm	9/16 in 14 mm
ANA12-4	3/8 in	4 in 102 mm	9/16 in 14 mm
ANA12-6	3/8 in	6 in 152 mm	9/16 in 14 mm
ANA14	7/16 in	2 in 51 mm	11/16 in 18 mm
ANB08	1/4 in	2 9/16 in 65 mm	7/16 in 11 mm
ANB10	5/16 in	2 9/16 in 65 mm	1/2 in 13 mm
ANB12	3/8 in	2 9/16 in 65 mm	9/16 in 14 mm
ANB14	7/16 in	2 9/16 in 65 mm	11/16 in 18 mm
*ANA08T has a turned nose s	hape.		



Concession in which the

agnetic	Sockets
4" square	drive

Part No.	Hex Opening	Overall Length	Diameter Nose End	Diameter End Drive	Body Style
AGS108*	1/4 in	7/8 in 22 mm	3/8 in 10 mm	1/2 in 13 mm	Tapered
AGS110*	5/16 in	7/8 in 22 mm	1/2 in 13 mm	1/2 in 13 mm	Straight
AGS112	3/8 in	1 in 25 mm	5/8 in 16 mm	5/8 in 16 mm	Straight
For sheet metal scre	ws				

	1/4" hex insert		
Part No.	Screw Size	Overall Length	Blade Thickness
A44S1	4F-5R	1 in 25 mm	0.033 in 0.84 mm
A44S2	6F-8R	1 in 25 mm	0.037 in 0.94 mm
A44S3	8F-10R	1 in 25 mm	0.040 in 1.02 mm

	\ominus		Slotted 1/4" hex power driv	/e
	Part No.	Screw Size	Overall Length	Blade Thickness
)	A9AS1	4F-5R	1 15/16 in 49 mm	0.033 in 0.84 mm
	A9AS3	6F-8R	1 15/16 in 49 mm	0.037 in 0.94 mm
	A9AS5	10F-12R	1 15/16 in 49 mm	0.045 in 1.14 mm
				the second se



Phillips 1/4" hex insert

Part No	o. Point S	ize Overall Length	
A441	1	1 in 25 mm	
A44R1	* 1	1 in 25 mm	
A442	2	1 in 25 mm	
A44R2	* 2	1 in 25 mm	
A443	3	1in 25 mm	

*Reduced nose for limited clearance

•	

Phillips 1/4" hex power drive

Part No.	Point Size	Overall Length	Body Diameter
A91	1	1 15/16 in 49 mm	3/16 in 5 mm
A9A1	1	2 3/4 in 70 mm	3/16 in 5 mm
A9B1	1	3 1/2 in 89 mm	3/16 in 5 mm
A92	2	1 15/16 in 49 mm	1/4 in 6 mm
A9A2	2	2 3/4 in 70 mm	1/4 in 6 mm
A9B2	2	3 1/2 in 89 mm	1/4 in 6 mm
A9C2	2	6 in 152 mm	1/4 in 6 mm
A93	3	1 15/16 in 49 mm	5/16 in 8 mm
A9A3	3	2 3/4 in 70 mm	5/16 in 8 mm
A9B3	3	3 1/2 in 89 mm	5/16 in 8 mm
A9C3	3	6 in 152 mm	5/16 in 8 mm



Part No.	Point Size	Overall Length
A44TS2	2	1 in 25 mm
A44TS4	4	1 in 25 mm
A44TS6	6	1 in 25 mm
A44TS8	8	1 in 25 mm
A44TS10	10	1 in 25 mm
A44TS-1/4	1/4	1 in 25 mm

*Torq-Set is a registered trademark of the Phillips Screw Co.

	Torq-Set 1/4" hex power drive	
Part No.	Point Size	Overall Length
A9TS2	2	1 1/4 in 32 mm
A9TS4	4	1 1/4 in 32 mm
A9TS6	6	1 1/4 in 32 mm
A9TS8	8	1 1/4 in 32 mm
A9TS10	10	1 1/4 in 32 mm



Torq-Set 5/16" hex power drive

Part No.	Point Size	Overall Length
A9TS-1-4A	1/4	1 1/4 in 32 mm

Extension 1/4" hex power drive

Part No.	Square Size	Type of Lock	Overall Length
A12E	1/4 in	Pin	2 in 51 mm
A12E-4	1/4 in	Pin	4 in 102 mm
A12E-6	1/4 in	Pin	6 in 152 mm
A12E-R	1/4 in	Ball	2 in 51 mm




QUALITY AND RELIABILITY AT AFFORDABLE PRICES

The trusted name for light industrial and MRO applications.

Customers in construction, light industrial assembly, and MRO industries demand high quality and reliable products that meet or exceed their needs. They seek out durable tools that help them get the job done right... guickly and consistently.

Apex Geta understands that it is all about consistent performance at affordable prices. Hence our fastening drive tools are designed to perform better, last longer, and cost less than our competitor's tools.

Please contact Apex directly or contact your local Apex Sales Representative to find out how we can help you with your fastening drive tool needs.









North America Apex Tool Group 670 Industrial Drive Lexington, SC 29072 United States Phone: +1 800 845 5629 Phone: +1 919 387 0099 Fax: +1 803 358 7681 www.apexpowertools.com

Apex Tool Group Manufacturing México S. de R.L. de C.V. Vialidad El Pueblito #103 Parque Industrial Querétaro Querétaro, QRO CP# 76220 Mexico Tel: +52 (442) 211 3800 Fax: +52 (800) 685 5560

Europe | Middle East | Africa Apex Tool Group S.A.S. 25 rue Maurice Chevalie B.P. 28 77831 Ozoir-la-Ferrière Cedex, France Phone: +49 (0) 73 63 81 0 Phone: +33 1 64 43 22 00 Fax: +49 (0) 73 63 81 222 Fax: +33 1 64 43 17 17 www.apexpowertools.eu

Apex Tool Group Hungária Kft. Platánfa u.2 9027 Györ Hungary Phone: +36 96 66 1383 Fax: +36 96 66 1135 Asia Pacific Apex Power Tool Trading (Shanghai) Co., Ltd Building A8, No. 38 Dongsheng Road Pudong, Shanghai China 201201 Phone: +86 21 60880320 Fax: +86 21 608803313 www.aptspowertools.com.cn

Apex Power Tools India Private Limited Gala No. 1, Plot No. 5 S. No. 234, 235 & 245 Indialand Global Industrial Park Taluka-Mulsi, Phase I Hinjawadi, Pune 411057 Maharashtra, India Phone: +91 20 66761111

Latin America Apex Tool Group Ind. Com. Ferram. Ltda Av. Liberdade, 4055 Zona Industrial Iporanga Sorocaba, São Paulo CEP# 18087-170 Brazil Tel: +55 15 2383929 Fax: +55 15 2383260



Apex Tool Group

Industriestraße 1 73463 Westhausen

GmbH & Co.

Germany