

Industrial Work Lights

Designed for Flexibility,
Durability and
Performance



DRILCO



SATA®

**MADE TO
CHALLENGE**

BRING



Case is lightweight and durable



Battery level indicated by LED display

Along with having the best tools for the job, bright, glare-free lighting on the work is a basic requirement for complex assembly and repairs. When developing our new Work Lights, the SATA product development team focused on the requirements of professional automotive, industrial, and MRO users. The result was the impressive new line of SATA Industrial Work Lights, built with high-quality materials and designed for flexibility, durability, and performance.

The SATA series of high quality Industrial Work Lights include a total of eight new products:

Area Lights, Compact Work Lights, and Flex Head Work Lights, each available in standard and high performance versions, plus two Inductive Charging Stations.



ST90613

ST90614



ST90606

ST90607



TOOL LIGHT



ST90620



ST90610



ST90609

Lighting products are protection class rated up to IP65 and deliver battery life of up to 10 hours for

work lights and 5 hours for area lights, with wireless inductive charging available for select work lights. Models range in brightness from 300 to 2,000 lumens.

ST90608



Top light included



360° swivel hook for easy positioning and hands free use



Efficient LED strip made with COB technology for a wide range of applications




IP65 dust and water-proof design convenient for outdoor use



Magnet in base and back for easy positioning and hand free use



Wireless or USB rechargeable lithium ion battery



Adjustable lamp stand folds and sets to different angles

ST90606

0-6h LUMENS 300|100 2.5h

ST90607

0-10h LUMENS 600|100 2.5h

Compact Work Light

With 300 / 600 lumens (front light) and 100 lumens (top light) of lighting power and up to 10 hours of run time, these Compact Work Lights are pocket-sized powerhouses. Their 360° swivel hook and back / base magnets let you position them anywhere. Compatible with ST90609 and ST90610 Inductive Charging Stations (sold separately).



Pocket-sized, lightweight design is easy to carry and store



Dual LED 300 (front) and 100 (top) lumen ratings for high intensity illumination



Dual LED 600 (front) and 100 (top) lumen ratings for high intensity illumination



Article Code	ST90606	ST90607
DESCRIPTION	Industrial Wireless Rechargeable Work Light	
LUMEN	300 lm (front) / 100 lm (top)	600 lm (front) / 100 lm (top)
APPROX. OPERATING TIME	3 h (front) / 6 h (top)	3 h (front) / 10 h (top)
APPROX. CHARGING TIME	2.5 h (cable) / 3.5 h (wireless)	2.5 h (cable) / 4.5 h (wireless)
WIRELESS CHARGING	yes	yes
PROTECTION DEGREE	IP65	IP65
BATTERY	Li-ion 3.7V; 1500 mAh	Li-ion 3.7V; 2600 mAh
POWER	3 W (front) / 1 W (top)	6 W (front) / 1 W (top)
DIMENSIONS (L x W x H)	133 x 68 x 25 mm	205 x 55 x 40 mm
NET WEIGHT	200 g	302 g
CABLE TYPE	USB Type C	USB Type C



Top light included



180° swivel hook for easy positioning and hands free use



Efficient LED strip made with COB technology for a wide range of applications



Magnet in base and back for easy positioning and hand free use



Ultra-thin aluminum alloy lamp head designed for small spaces

ST90608

0-10h | LUMENS 600|100 | 2.5h

ST90620


0-8h | LUMENS 400|80 | 3h

Flex Head Work Light


These high intensity Work Lights deliver a full 400 / 600 lumens (front light) and 100 lumens (top light) with a flex head design that swings open 180° and pivots 180°/ 270° to put the light exactly where you want it. Dual back/base magnets and a 180° swivel hook make hands-free positioning a breeze. Up to 10 hours run time for less downtime.

- Light pivots 180° and rotates 270° to direct the beam where you need it** (ST90608)
- Light pivots 180° and rotates 180° to direct the beam where you need it** (ST90620)
- Wireless or USB rechargeable lithium ion battery** (ST90608)
- USB rechargeable lithium ion battery** (ST90620)
- Dual LED 600 (front) and 100 (top) lumen ratings for high intensity illumination** (ST90608)
- Dual LED 400 (front) and 80 (top) lumen ratings for high intensity illumination** (ST90620)
- IP54 dust and splash-proof design convenient for outdoor use** (ST90608)
- IP20 dust and moisture proof design** (ST90620)
- Lithium ion battery provides up to 8 hours of run time** (ST90620)
- Lithium ion battery provides up to 10 hours of run time** (ST90608)


Article Code	ST90608	ST90620
DESCRIPTION	Industrial Wireless Rechargeable Folding Slim Work Light	Industrial Folding Slim Work Light
LUMEN	600 lm (front) / 100 lm (top)	400 lm (front) / 80 lm (top)
APPROX. OPERATING TIME	3h (front) / 10h (top)	3 h (front) / 8 h (top)
APPROX. CHARGING TIME	2.5 h (cable) / 4.5 h (wireless)	3 h (cable)
WIRELESS CHARGING	yes	no
PROTECTION DEGREE	IP54	IP20
BATTERY	Li-ion 3.7V; 2600 mAh	Li-ion 3.7V; 2000 mAh
POWER	6 W (front) / 1W (top)	3 W (front) / 1W (top)
DIMENSIONS (L x W x H)	325 x 44 x 38 mm	300 x 44 x 34 mm
NET WEIGHT	250 g	200 g
CABLE TYPE	USB Type C	Micro USB



USB rechargeable lithium ion battery



Soft shade optical precision reduces glare discomfort without compromising brightness




Two levels of light intensity settings at 50% and 100% brightness



IP65 dust and water-proof design convenient for outdoor use



ABS plastic shell +TPR front cover to protect from falling and damage



270 degree pivot directs light where you need it

ST90613

0-5h | LUMENS 1000 | 4.5h

ST90614

0-5h | LUMENS 2000 | 4.5h

Area Light

The SATA Area Lights deliver brilliant, low-glare lighting with a choice of 2,000 or 1,000-lumen. Adjustable to 100% or 50% intensity, they have a 4,000 / 8,000 mAh lithium ion battery for up to 5 hours of runtime. A 270° pivoting design provides excellent stability while directing light where it's needed most.



ST90613

Built-in 4000 mAh lithium ion battery provides up to 5 hours of run time



Built-in 8000 mAh lithium ion battery provides up to 5 hours of run time



1000 lumen rating for high intensity illumination



2000 lumen rating for high intensity illumination




ST90614

Article Code	ST90613	ST90614
DESCRIPTION	Industrial Waterproof Flood Light	
LUMEN	1000 lm (100%) / 500 lm (50%)	2000 lm (100%) / 1000 lm (50%)
APPROX. OPERATING TIME	3 h (100%) / 5 h (50%)	
APPROX. CHARGING TIME	approx. 4.5 h (cable)	
WIRELESS CHARGING	no	
PROTECTION DEGREE	IP65	
BATTERY	Li-ion 3.7V; 4000mAh	Li-ion 3.7V; 8000mAh
POWER	10W	20W
DIMENSIONS (L x W x H)	173x133x43 mm	204x156x51 mm
NET WEIGHT	400 g	690 g
CABLE TYPE	USB Type C	USB Type C



Easy wireless charging with built-in, safe magnet connection



USB Output



Wireless charging function compatible with mobile phones

ST90609

ST90610

Inductive Charging Station

SATA Inductive Charging Stations provide easy wireless charging with built-in magnetic connections for SATA Compact Work Lights and the ST90608 Flex Head Work Light. The Double Output model allows simultaneous charging of two lights. Both feature a maximum 1A USB output for additional capability. The wireless charging function is also compatible with most smartphones.



Double output wireless charger



Single output wireless charger



ST90609



ST90610

Article Code	ST90609	ST90610
DESCRIPTION	Single Output Wireless Charger	Double Output Wireless Charger
POWER	5 W	5 W (single) / 10 W (double)
DIMENSIONS (L x W x H)	151x106x18 mm	202x106x18 mm
NET WEIGHT	190 g	270 g
CABLE TYPE	USB Type C	USB Type C

SUITABLE FOR:

ST90601



ST90607



ST90608



DRILCO

Avenida de Somosierra 22, E - 6 y 7
E-28703 S. S. de los Reyes (Madrid)
Tel. +34 916 591 900 · www.drilco.net

Authorized Distributor

Apex Tool Group B.V.
Phileas Foggstraat 16
7821 AK Emmen
The Netherlands
T. +31 (0) 591 667 504
www.satatools.eu

Disclaimer

Specifications subject to change without notice.
SATA is a registered trademark of Apex Brands, Inc. | © 2022
HT1400 100ST / 09.22 BO 2.5